

	L #	Search Text	H it s	DBs
1	L1	"INSTANT APPLICATION (IA).:" 10/735,751	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	"APPLICANT CITED INFORMATION (IDS).:" ("4517575" "4943045" "5067705").pn.	3	USPAT
3	L4	"2nd BROADEST SEARCH (SEVERAL US/IPC CLASSES, IA & IDS).:" <input type="checkbox"/> 1 2 101/\$.ccls. 162/\$.ccls. 198/\$.ccls. 209/\$.ccls. 221/\$.ccls. 270/\$.ccls. 271/\$.ccls. 347/\$.ccls. 358/\$.ccls. 380/\$.ccls. 382/\$.ccls. 399/\$.ccls. 400/\$.ccls. 705/\$.ccls. 902/\$.ccls. B65H\$/\$.ipc.	7 8 5 2 9 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L7	"BROADEST SEARCH (TERMS COMMON TO FIELD, IA & IDS).:" <input type="checkbox"/> 1 2 (banknote banknotes bill bills booklet booklets card cards certificate certificates check checks copy copies currency document documents envelope envelopes mailpiece mailpieces media money note notes paper papers photograph photographs quire quires sheet sheets signature signatures substrate substrates) with (convey conveyor conveying conveyors conveyance conveyances transport transporting transports transported)	2 1 5 3 9 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L8	"APPLICANT(S) NAME(S).:" (takashi near4 fukui).in.	3 1 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L10	8 and 5	7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Search Text	Hits	DBs
7	L1 1	"ASSIGNEE(S) NAME(S) ALTERNATIVELY 1 APPLICANTS COUNTRY.: (fuji near4 photo).as.	1 6 5 6 0 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L1 2	11 and 5	1 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L1 3	"PROBLEM The INVENTION SOLVES - WORD/SYNONYM SEARCH.:" (flywheel flywheels inertia inertial weight mass) with (cylinder cylinders disk disks drum drums roll rolls)	1 1 8 5 1 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L1 4	13 and 5	4 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L1 5	"INVENTORS APPROACH to PROBLEM - WORD/SYNONYM SEARCH.: (section segment part parts)	8 5 2 3 8 8 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L1 6	15 and 5	3 9 0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Search Text	Hit S	DBs
13	L5	"4th BROADEST SEARCH (SEVERAL US/IPC CLAS/SUBCLASS, IA & IDS).:" □ 1 2 "Original Classification.: 271/277.ccls.	5 7 1	USPAT; 5 US-PGPUB; 7 EPO; JPO; 1 DERWENT; IBM_TDB
14	L1 7	"4th BROADEST SEARCH (SEVERAL US/IPC CLAS/SUBCLASS, IA & IDS).:" □ 1 2 "Original Classification.: 271/277.ccls. not (10 12 14)	5 2 2	USPAT; 5 US-PGPUB; 2 EPO; JPO; 2 DERWENT; IBM_TDB
15	L1 8	"CLAIMED ELEMENTS - WORD/SYNONYM SEARCH.:" "leading edge" same "trailing edge" same (clamp clamping clamps clampable clip clips grasp gripper grippers grip grips gripping gripped holder holding holds jaw jaws "spring clip" "spring clips" tong tongs) same (adjust adjustably adjusts adjustment adjustments adjusting adjusted adjustable accommodate accomodatable accommodated accommodating accommodates conform "distance between" "moved apart" "moved together" set sets setting vary varying variable various variant variation varyingly) same (size sizes wide width widths lateral laterally)	2 6 7	USPAT; 2 US-PGPUB; 6 EPO; JPO; 7 DERWENT; IBM_TDB

	L #	Search Text	Hits	DBs
16	L1 9	"CLAIMED ELEMENTS - WORD/SYNONYM SEARCH.:" "leading edge" same "trailing edge" same (clamp clamping clamps clampable clip clips grasp gripper grippers grip grips gripping gripped holder holding holds jaw jaws "spring clip" "spring clips" tong tongs) same L1 (adjust adjustably adjusts adjustment adjustments adjusting adjusted adjustable accommodate accomodatable accommodated accommodating accommodates conform "distance between" "moved apart" "moved together" set sets setting vary varying variable various variant variation varyingly) with (size sizes wide width widths lateral laterally)	1 4 0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L2 1	"4th BROADEST SEARCH (SEVERAL US/IPC CLAS/SUBCLASS, IA & IDS).:" 101/378.ccls. 101/383.ccls.	9 5 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L2 2	"CLAIMED ELEMENTS - WORD/SYNONYM SEARCH.:" (adjust adjustably adjusts adjustment adjustments adjusting adjusted adjustable accommodate accomodatable accommodated accommodating accommodates conform "distance between" "moved apart" "moved together" set sets setting vary varying variable various variant variation varyingly) with (size sizes wide width widths lateral laterally)	1 0 1 6 1 5 0	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L2 3	22 and 21	1 1 1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB